

Faculty of Engineering and Information Technology
University of Technology, Sydney

Volatility Modeling and Analysis via Coupled Wishart Process

A thesis submitted in partial fulfillment of
the requirements for the degree of
Master of Science in Computing Sciences

by

Zhong She

November 2013

CERTIFICATE OF AUTHORSHIP/ORIGINALITY

I certify that the work in this thesis has not previously been submitted for a degree nor has it been submitted as part of requirements for a degree except as fully acknowledged within the text.

I also certify that the thesis has been written by me. Any help that I have received in my research work and the preparation of the thesis itself has been acknowledged. In addition, I certify that all information sources and literature used are indicated in the thesis.

Signature of Candidate

Zhong She

Acknowledgments

On having completed this thesis, I would like to give my greatest gratitude to my supervisors, Prof. Longbing Cao and Dr. Richard Xu. Only with Prof. Cao's generous financial support and guidance, I can make some progresses on my research topic and finish this thesis. Besides, his vision, working enthusiasm, diligence and ambition has made him a role model in the future of my way. My co-supervisor, Dr. Richard Xu offered me great help in my topic. He has a great interest in statistical learning with expert proficiency. I have benefited a lot from discussions with him.

I want to express my sincere thanks to my girlfriend Can Wang. With her reference, I get this opportunity to study abroad and come into a completely new research world. Also I want to thank all my colleagues in AAI, who has been offering me friendship and assistance during my period here. I can not forget the joys of our time together ever after.

My parents deserve my deepest thanks. During the past two years, they missed me so much and had to suffer from mine absence with them. Though more than 8,000 kilometers away, they cared about everything of me.

Lastly, I would like to thank myself. Honestly, these two years are one of the toughest periods of my life. I am glad I have survived with hope and determination. Hope luck and courage along with me on my future way.

Zhong She

August 2013 @ UTS

Contents

Certificate	i
Acknowledgment	iii
List of Figures	ix
List of Tables	xi
Abstract	xiii
Chapter 1 Introduction	1
1.1 Preliminaries	1
1.2 Background	2
1.3 Limitation and Motivation	5
1.4 Research Contribution	6
1.5 Structure	7
Chapter 2 Literature Review	9
2.1 Volatility Analysis	9
2.1.1 GARCH Models	9
2.1.2 Stochastic Models	11
2.2 Coupling Methods	14
2.2.1 Coupling	14
2.2.2 Coupling Analysis	15
2.3 Markov Chain Monte Carlo	19
2.3.1 Monte Carlo Methods	19
2.3.2 Correlated Samples	20
2.3.3 The Metropolis-Hastings Algorithm	22

2.3.4	Gibbs Sampling	24
Chapter 3 Wishart Process and Its Learning		26
3.1	Wishart Process	26
3.1.1	Wishart Distribution	26
3.1.2	Transition of Wishart Process	27
3.2	Learning Procedures	30
3.3	Results Analysis	34
3.3.1	Parameters	34
3.3.2	Determinant Diagnose	34
3.3.3	Element Diagnose	36
3.3.4	Some Issues in Implementing with Singularity	36
3.3.5	Summary	38
Chapter 4 Homogenous Coupling Wishart Process		39
4.1	Background	39
4.2	Related Work	42
4.3	Preliminary Knowledge	43
4.3.1	Wishart Distribution	44
4.3.2	Wishart Process	44
4.4	Coupled Volatility Analysis	45
4.5	A Linear Coupling Approach	47
4.5.1	Linear Model	47
4.5.2	Weights Setting	49
4.5.3	Theoretical Support	49
4.6	Matrix Metric of Linear coupling	50
4.7	Estimation Methods	52
4.8	Likelihood and Conditional Posteriors	54
4.9	Experiment and Evaluation	57
4.9.1	Evaluation Measures	58
4.9.2	Synthetic Data Analysis	59
4.9.3	Real-life Data Analysis	65

4.10 Summary	67
Chapter 5 Heterogeneous Coupling Wishart Process	69
5.1 Background	69
5.2 Heterogenous Coupling Framework	70
5.3 Problem Statement	70
5.4 Model Setups	72
5.5 Learning Procedures	72
5.6 Synthetic Data Experiment	77
Chapter 6 Conclusions	81
6.1 Summarization	81
6.2 Future Work	82
Chapter A Appendix: List of Publications	83
Chapter B Appendix: List of Symbols	84
Bibliography	85

List of Figures

1.1	An example volatility of S&P 500 over decades.	2
1.2	Coupling between markets.	7
1.3	Research Issues.	8
2.1	Coupled behaviors: clustering ensemble.	15
2.2	Estimating π by Monte Carlo integration.	21
3.1	Graphic model of matrix transition.	28
3.2	Samples of the parameters: d , ν , A	35
3.3	Plot of determinant.	36
3.4	Plot of each element.	37
4.1	The coupling relationship of volatility.	41
4.2	A single Wishart process.	45
4.3	An example of the coupled Wishart process.	46
4.4	Box plots of the samples of parameters in chain 1.	60
4.5	Box plots of the samples of parameters in chain 2.	61
4.6	Learnt expectations and true values.	62
4.7	Coupled learnt v.s. uncoupled learnt.	63
4.8	Comparison of MAPE results	66
4.9	Comparison of MSE results	66
4.10	Comparison of Det_error results.	67
5.1	Graphic model for a heterogeneous coupled Wishart process. . .	71
5.2	Simulated latent volatilities.	77

5.3	Simulated observations.	78
5.4	History daily S&P 500.	79
5.5	Simulated latent volatilities with outside influences.	80

List of Tables

2.1	A Fragment Example of Iris Data Set	17
4.1	Evaluations of Estimated Variables for Synthetic Data	64
4.2	Descriptive Statistics of Real-life Data	64

Abstract

Volatility refers to the measure for price fluctuation of specific financial instrument over time. It is a very important factor that can greatly influence investor's decisions and concerns every other participant in the stock market. High volatility implies great insatiability and will definitely increase liquidity whereas low volatility indicates poor activeness. Hence the research on volatility draws great attention and interest of researchers from different backgrounds. Including the methods from data mining and machine learning is essential to improve the quality of volatility analysis.

There are two main types of models on volatility analysis: the deterministic models and stochastic models. The deterministic models assume the volatility at particular time is a deterministic function of the past. The generalized autoregressive conditional heteroskedasticity (GARCH) model and its variations are in such category. The stochastic volatility (SV) models take the assumption that the volatility follows certain random process. Recent literature has shows that the stochastic models outperform the deterministic models to some extent. Among them, the Wishart process is a hot tool for modeling multivariate volatility.

However, the stock market is closely connected with the society and human behavior, which makes it difficult to model. Almost all the existing models assume independence between our target objects: prices or the hidden covariance matrices behind them. These assumption works well for rough research or when the relationship between objects is weak. For a more solid research, the coupling relationship must be taken into account.

In this thesis, we present two kinds of coupled Wishart process to model volatility: the homogenous coupled Wishart process and heterogenous coupled Wishart process. And corresponding algorithms are developed based on the models. The homogenous coupled Wishart process refers to model that our target objects belong to the same category. A two-chain coupled Wishart process is introduced in this thesis. Within such a model, the matrix in one chain is not only related with the past one from its own chain but also from its neighbors. After the derivation of its learning procedures, synthetic data are tested. Then, experiments are implemented with real data from two markets: U.S. and Hong Kong. In the two-chain coupled Wishart process, one chain indicates the volatility from U.S. stock market and the other the volatility indicates Hong Kong stock market.

The latter one is the heterogenous coupled Wishart process. Unlike the homogenous one, in such a model, the covariance matrices are coupled with vectors, scalars or even a system. We aim to model how the outside influence from other kinds of data affect the evolving of covariance matrices. For time limitation, we make a simplified setup to illustrate how the heterogeneous coupling works. Then we construct the learning algorithm based on the setups and test it on synthetic data.

To conclude, we include the thought of coupling into the analysis of volatility via Wishart process, with machine learning techniques. Sufficient experiments have proved the effectiveness of coupling in volatility analysis.